

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICHS NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS			
10001 	0607981	0003305248	Tie Rod End	F 1600	Length :125 Thread :M 30x1,5 RHT Cone U Ø :27,1 Cone L Ø :30 Weight :1,7 Kg.		
	0698450	0004605235	Kugelgelenk	F 1700			
	1257890	0004600348		F 1800			
	1603789	0004602848		F 1900			
	2969808	0004602948		F 2000			
	42481638	0003406254		F 2100			
	42483386	0003406260		F 2200			
	42489573	0003406261					
	42489594	0003406251					
	4833829	0003406236					
	42488269	0003401169					
	8122752	5000804824					
	93194576	5000819349					
	81953010016	5000288360					
	81953016048	7701001412					
	81953016049	3401167					
	81953016053	283784					
	81953016278	395010					
	81953016108	1358793					
	81953016112	468286					
	81953016143						
	81953016224						
	81953016234						
	81953016242						
	81953016274						
10002 	0607053	81953016054	Tie Rod End	F 1600	Length :125 Thread :M30x1,5 LHT Cone U Ø :27,1 Cone L Ø :30 Weight :1,7 Kg.		
	0696225	81953016275	Kugelgelenk	F 1700			
	1228115	81953016168		F 1800			
	0696205	81953016179		F 1900			
	1329134	81953016279		F 2000			
	2984061	0004600648		F 2100			
	42489395	0004603448		F 2200			
	42491957	0004601248					
	4802444	0004603548					
	4833830	0014600348					
	81953010015	0003401170					
	81953016030	5000288361					
	81953016237	5001832581					
	81953016050	5000288378					
	81953016087	0003406252					
	81953016107	1358792					
	81953016120	283783					
	81953016152	395009					
	81953016043	468285					
	81953016223						
	10003 	0586753	0003305835	Tie Rod End		65 DF	Length :115 Thread :M30x1,5 RHT Cone U Ø :23,5 Cone L Ø :26 Weight :1,5 Kg.
		0607999	0013300135	Kugelgelenk		75 CF	
		0694298	0003383410			F 1300	
		0694360	0004632229			F 1400	
		0698609	0004603429			F 1500	
1229944		0004603129		F 1600			
2980323		0003303235		F 1700			
42483520		0004633529		F 1900			
42493781		0003406212					
4833820		0003406253					
4833827		5000242159					
8122754		5000295214					
42485718		7701016946					
2986688		5000812483					
81953010014		5001832582					
81953010064		5001831473					
81953016162		5001850549					
81953016239		1517577					
0003300248		1695690					
0013300235		1697247					
0003307335		1696057					

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICHS NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS		
10004 	0607998	3023300035	Tie Rod End	65 DF	Length :115	
	1319838	3023300135	Kugelgelenk	75 CF	Thread :M30x1,5 LHT	
	1338714	3023300235		F 1300	Cone U Ø :23,5	
	1315447	3023300335		F 1400	Cone L Ø :26	
	8122755	5000295215		F 1500	Weight :1,5 Kg.	
	42493782	0003406218		F 1600		
	4833828	5001850550		F 1700		
	4833821	5001834533		F 1900		
	2984511	5000823654				
	0579343	5000820879				
	81953016163	5000806187				
	81953010082	5000588470				
	81953016068	5000814347				
	81953010074	5000295336				
	0003300148	1695689				
	0003300035	1698839				
10007 	0110197	81953016060	Tie Rod End	45 FA	Length :105	
	0607451	81953016135	Kugelgelenk	F 1200	Thread :M28x1,5 RHT	
	0607453	81953016140		F 1700	Cone U Ø :19,9	
	1228114	81953016249		F 1900	Cone L Ø :22	
	1373135	0003301535			Weight :0,9 Kg.	
	ACU9242	0003307135				
	4833825	0003309335				
	8193645	0003309535				
	8558533	0003301435				
	8582322	0003382129				
	42484886	0003383629				
	2966635	5000559335				
	2966321	5000823987				
	10008 	0110196	81953010079	Tie Rod End	45 FA	Length :105
		0607452	81953016139	Kugelgelenk	F 1200	Thread :M28x1,5 LHT
		1373137	81953016222		F 1700	Cone U Ø :19,9
ACU9241		0003303335		F 1900	Cone L Ø :22	
4833826		0003307235			Weight :0,9 Kg.	
8123394		0003309435				
8193646		0003309635				
8558536		5000559336				
42484887		5000823947				
2969507		5000823997				
10010 		ACU9240		Tie Rod End Kugelgelenk	45 FA	Length :175
						Thread :M28x1,5 RHT
10012 	0586714		Tie Rod End	F 1600	Length :135	
	0607073		Kugelgelenk	F 2000	Thread :M30x1,5 RHT	
	0609634			F 2200	Cone U Ø :27,1	
	0609643				Cone L Ø :30	
	0696226				Weight :2,5 Kg.	
	1228110					

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10019 	4248 7165 0003309735 855 8527 0003309935 9319 4626 0003383429 0003301235 0003383529 0003307535 1696919	Tie Rod End Kugelgelenk	OM 50 50.xx 60.xx 65.xx 70.xx 79.xx 80.xx 83.xx 90.xx	Length :105 Thread :M24x1,5 RHT Cone U Ø :19,9 Cone L Ø :22 Weight :0,8 Kg.
10020 	7984276 0003301335 8558524 0003309835 93194627 1696920	Tie Rod End Kugelgelenk	OM 50 50.xx 60.xx 65.xx 70.xx 79.xx 80.xx 83.xx 90.xx	Length :105 Thread :M24x1,5 LHT Cone U Ø :19,9 Cone L Ø :22 Weight :0,8 Kg.
10034 	81953016288	Tie Rod End Kugelgelenk	TGA	Length : Thread :M30x1,5 RHT Cone U Ø :27,1 Cone L Ø :30 Weight :1,7 Kg.
10042 	81 95301 6263 6994601648	Tie Rod End Kugelgelenk	F 2000 F 90 26.270	Length :158 Thread :M30x1,5 RHT Cone U Ø :27,1 Cone L Ø :30 Weight :1,9 Kg.
10052 	0004606848 0014600448 0004605748 0004606048 0004607048 0014601748 0014607648	Tie Rod End Kugelgelenk	LK-MK-SK Actros Series	Length :125 Thread :M30x1,5 RHT Cone U Ø :28,9 Cone L Ø :32 Weight :1,8 Kg.
10055 	330 4035 000 330 7735 000 338 4929 001 330 2135 001 330 2635	Tie Rod End Kugelgelenk	Busses O 303 O 303 CH 300.xxx CH 303.xxx	Length :150 Thread :M35x1,5 RHT Cone U Ø :23,5 Cone L Ø :26 Weight :1,9 Kg.




→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10057 	000 460 9248 001 460 2948	Tie Rod End Kugelgelenk	G 90 6 Ton 8 Ton 9 Ton 10 Ton Telai/Chasis Lxx Year 87'÷94'	Length :146 Thread :M 30x1,5 RHT Cone U Ø :28,9 Cone L Ø :32 Weight :2 Kg.
10087 	685 152 7000 000 460 5848 000 460 6148 000 460 6948 000 460 7148 001 460 0548	Tie Rod End Kugelgelenk	ACTROS 1831-4148 ACTROS 1832-2658 ATEGO 1823-2628 AXOR 1823-3228 ECONIC MK 1417-2534 NG 1422-3850 SK 1831-4850	Length :125 Thread :M30x1,5LHT Cone U Ø :28,9 Cone L Ø :32 Weight :1,8 Kg.
10093 	310 980	Tie Rod End Kugelgelenk	SCANIA 3	Length :170 Thread :M 52x1,5 RHT Cone U Ø :27,1 Cone L Ø :30 Weight :3,2 Kg.
10094 	310 979	Tie Rod End Kugelgelenk	SCANIA 3	Length :170 Thread :M 52x1,5 LHT Cone U Ø :27,1 Cone L Ø :30 Weight :3,2 Kg.
10097 	1695 585 1695 776 1698 557 1507 826	Tie Rod End Kugelgelenk	FL 7 FL 10 FL 12	Length :125 Thread :M30x1,5RHT Cone U Ø :27 Cone L Ø :31,5 Weight :1,7 Kg.
10098 	1698 840 1131 744 1698 558 6869 744 6882 112 1313 744	Tie Rod End Kugelgelenk	FL 7 FL 10 FL 12	Length :125 Thread :M30x1,5LHT Cone U Ø :27 Cone L Ø :31,5 Weight :1,7 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10099 	1505 759 1507 823 1698 532 1698 846 3092 472	Tie Rod End Kugelgelenk	F 7 F 10 F 12 F 16 FL 6 FL 7 FL 10 FL 12	Length :125 Thread :M30x1,5RHT Cone U Ø :24 Cone L Ø :29 Weight :1,4 Kg.
10100 	1505 758 1507 822 1698 533 1698 847 3092 471	Tie Rod End Kugelgelenk	F 7 F 10 F 12 F 16 FL 6 FL 7 FL 10 FL 12	Length :125 Thread :M30x1,5LHT Cone U Ø :24 Cone L Ø :29 Weight :1,4 Kg.
10101 	1131 742 1696 901 1699 401	Tie Rod End Kugelgelenk	FL 7 FL 10	Length :170 Thread :M30x1,5RHT Cone U Ø :23,9 Cone L Ø :28,6 Weight :3,4 Kg.
10102 	1131 741 1696 900 1699 400	Tie Rod End Kugelgelenk	FL 7 FL 10	Length :170 Thread :M30x1,5LHT Cone U Ø :23,9 Cone L Ø :28,6 Weight :3,4 Kg.
10115 	1351 734 1385 499 1291 060	Drag Link Lenkstange	95 FA 95 FAD 95 FAK 95 FAR 95 FT 95 FTG 95 FTT 95 XF	Length :1005 Pipe Ø :52 Cone U Ø :23,5 Cone L Ø :26 Weight :9,6 Kg.
10117 	1283 211 1385 497 1351 714 1247 956	Drag Link Lenkstange	65 CF 75 CF 85 CF F 65 F 75 F 85	Length :876 Pipe Ø :52 Cone U Ø :23,5 Cone L Ø :26 Weight :8,6 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10119 	1286 343 1353 396	Tie Rod, Steering Spurstange	85 CF XF 95 75 CF	Length :1700 Pipe O :52 Cone U Ø :23,5 Cone L Ø :26 Weight :15,5 Kg.
10120 	1257 991 1351 718 1385 493	Drag Link Lenkstange	85 FAD	Length :860 Pipe Ø :36 Cone U Ø :23,5 Cone L Ø :26 Weight :4,8 Kg.
10125 	1286 341 0275 961	Tie Rod, Steering Spurstange	85 CF 95 FA 95 FAD 95FAK 95 FAT 95 FT 95 FTG 95 FTT 95 XF	Length :1130 Pipe Ø :52 Cone U Ø :27,1 Cone L Ø :30 Weight :16 Kg.
10128 	0094 029 0117 343	Drag Link Lenkstange	F 2800 F 3300 F 3600	Length :872 Pipe Ø :40 Cone U Ø :27,1 Cone L Ø :30 Weight :8 Kg.
10131 	4100 5463 813 1582 813 2397	Drag Link Lenkstange	LD 190-240-260 E LD 400-440 E MH 190-400 E MP 180-440 E MP 190-720 E AS 260S40	Length :940 Pipe Ø :52 Cone U Ø :27,1 Cone L Ø :30 Weight :9,8 Kg.
10132 	9844 6354	Drag Link Lenkstange	TECH Euro Tech 180E24 400E30 180E27 400E34 180E30 180E34 190E24 190E27 190E30 32E27	Length :901 Pipe Ø :52 Cone U Ø :27,1 Cone L Ø :30 Weight :9,7 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10134	9846 9650 9844 9025	Drag Link Lenkstange	CARGO	Length :878
			EUROCARGO	Pipe Ø :42
			150E15 260E23KE	Cone U Ø :27,1
			170E18 260E27KE	Cone L Ø :30
			170E23 260E28KE	Weight :8 Kg.
			170E27 9844 9025	
			180E21	
			180E24	
			180E28	
10135	485 4874 5 0032 4282	Drag Link Lenkstange	CARGO-EUROCARGO	Length :897
			120E15 130E15	Pipe Ø :42
			120E15H 130E18	Cone U Ø :23,5
			120E17 130E23	Cone L Ø :26
			120E18 150E15	Weight :6,2 Kg.
			120E18H 150E18	
			120E21 150E23	
			120E23 150E27	
			120EL15 260E23	
			120EL18 260E27	
			120EL21	
			EUROFIRE	
			130E24 150E27	
			150E24 150E28	
10136	9840 2544	Drag Link Lenkstange	CARGO-EUROCARGO	Length :822
			60E10 75E17	Pipe Ø :38
			60E12 75E18	Cone U Ø :23,5
			60E14 80E15	Cone L Ø :26
			65E10 80E18	Weight :6,2 Kg.
			65E12 80E21	
			65E12H 85E15H	
			65E14 85E18H	
			75E12 100E15	
			75E13 100E17	
			75E14 100E18	
			75E15 100E21	
				180E21
				EUROFIRE
				75E14
				75E15
10156	81 46610 6088 81 46610 6288	Drag Link Lenkstange	19.233 33.323	Length :800
			19.603 33.603	Pipe Ø :40
			23.293 35.343	Cone U Ø :23,5/27,1
			23.463 35.463	Cone L Ø :26/30
			24.273 41.343	Weight :7,2 Kg.
			24.463 41.463	
			26.233	
			26.603	
			27.273	
			27.603	
			32.293	
			32.463	
10163	81 46610 6333 81 46610 6334 81 46610 6354 81 46610 6355 81 46610 6360 81 46610 6361 81 46610 6721 81 46610 6722 81 46610 6723	Drag Link Lenkstange	F90-F2000 17 Ton	Length :1040
			16.281÷361 19 Ton	Pipe Ø :48
			19.281÷361 24 Ton	Cone U Ø :27,1
			22.281÷361 26 Ton	Cone L Ø :30
			24.281÷361 28 Ton	Weight :8,9 Kg.
			26.281÷361 30 Ton	
			32.281÷361 31 Ton	
			33.281÷361 32 Ton	
			34.281÷361 33 Ton	
			16 Ton 34 Ton 35 Ton	
10166	81 46610 6779	Drag Link Lenkstange	19.233 24.273 26.343	Length :1022
			19.273 24.293 26.373	Pipe Ø :48
			19.293 24.323 26.403	Cone U Ø :27,1
			19.314 24.343 26.423	Cone L Ø :30
			19.323 24.373 26.463	Weight :8,6 Kg.
			19.343 24.403 26.603	
			19.364 24.423 27.273	
			19.373 24.463 27.293	
			19.403 26.233 27.323	
			19.414 26.273 27.343	
			19.423 26.293 27.373	
			19.463 26.323 27.403	

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10173 	85 46610 6021 85 46610 6121 85 46610 6140	Drag Link Lenkstange	L 2000 12.185 L 2000 12.225 L 2000 12.153 M 2000 L 12.163 M 2000 L 12.224	Length :840 Pipe Ø :36 Cone U Ø :19,9 Cone L Ø :22 Weight :4,8 Kg.
10175 	81 46710 6438 81 46710 6439	Tie Rod Spurstange	17.192 24.232 17.222 24.262 17.232 24.272 17.272 18.192 18.222 18.232 18.272 24.192 24.222	Length :995 Pipe Ø :40 Cone U Ø :23,5 Cone L Ø :26 Weight :7,2 Kg.
10176 	81 46710 6933 81 46711 6711 81 46710 6934	Tie Rod Spurstange	L 14.163 L 14.265 L15.163 L 15.265 L15.285 M 14.224 M 14.285	Length :1630 Pipe Ø :50 Cone U Ø :23,5 Cone L Ø :26 Weight :12,9 Kg.
10182 	81 46611 6087 81 46611 6096 81 46611 6133 81 46611 6132 81 46611 6097	Drag Link Lenkstange	TGA 18.310 TGA 33.530 18 Ton 26 Ton 33 Ton 35 Ton 41 Ton.463	Length :990 Pipe Ø :50 Cone U Ø :27,1 Cone L Ø :30 Weight :11 Kg.
10223 	002 460 4305 002 460 4405	Drag Link Lenkstange	ACTROS 1831-4148 ATEGO 1823-1828	Length :834 Pipe Ø :36 Cone U Ø :23,9 Cone L Ø :28,6 Weight :6 Kg.
10227 	670 460 2605 670 460 2705	Drag Link Lenkstange	709 D 711 D 714 D 809 D 811 D 814 D	Length :495 Pipe Ø :32 Cone U Ø :19,9 Cone L Ø :22 Weight :4 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10249 	000 460 9405 000 460 9505 001 460 7105	Drag Link Lenkstange	ACTROS 1831-4148	Length :900 Pipe Ø :52 Cone U Ø :28,9 Cone L Ø :32 Weight :9,4 Kg.
10258 	617 460 2405 617 460 3405 617 460 2005	Drag Link Lenkstange	MK 1222 MK 2433 MK 1226 MK 2524 MK 1227 MK 2531 MK 1231 MK 2534 MK 1234 NG 1222 MK 1417 NG 1228 MK 1429 NG 1417 MK 1627 NG 1425 MK 1717 NG 1428 MK 1122 NG 1429 MK 1726 NG 1617 MK 1820 NG 1622 MK 1824 NG 1625 NG 1628	Length :850 Pipe Ø :42 Cone U Ø :27,1 Cone L Ø :30 Weight :8,1 Kg.
10278 	002 460 4705 002 460 4805	Drag Link Lenkstange	ACTROS 1831-3357 ACTROS 1832-2658 AXOR 1823-3228 ATEGO 1823-2628	Length :863 Pipe Ø :40 Cone U Ø :23,9 Cone L Ø :28,6 Weight :6,7 Kg.
10376 	5010 239 340	Drag Link Lenkstange	R340 MAJOR R 340	Length :1018 Pipe Ø :62 Cone U Ø :27,1 Cone L Ø :30 Weight :12 Kg.
10379 	5010 037 602 5010 163 161 5010 037 603 5010 130 456	Drag Link Lenkstange	MIDLINER M 140 MIDLINER M 250 MIDLINER S 120 MIDLINER S 220	Length :902 Pipe Ø :40 Cone U Ø :19,9 Cone L Ø :22 Weight :6,4 Kg.
10380 	5010 060 764	Drag Link Lenkstange	MAGNUM AE 420	Length :720 Pipe Ø :36 Cone U Ø :27,1 Cone L Ø :30 Weight :5,4 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10383 	5010 064 715 5010 130 382	Drag Link Lenkstange	CLM 385	Length :830 Pipe Ø :42 Cone U Ø :27,1 Cone L Ø :30 Weight :8 Kg.
10391 	5010 308 082 5010 566 059	Tie Rod Spurstange	PREMIUM 400 PREMIUM 420	Length :1710 Pipe Ø :48 Cone U Ø :27,1 Cone L Ø :30 Weight :14 Kg.
10392 	5010 294 288	Drag Link Lenkstange	PREMIUM	Length :837 Pipe Ø :52 Cone U Ø :27,1 Cone L Ø :30 Weight :9,4 Kg.
10395 	5010 130 344	Drag Link Lenkstange	MAGNUM AE 385 MAGNUM AE 420	Length :750 Pipe Ø :52 Cone U Ø :27,1 Cone L Ø :30 Weight :8,4 Kg.
10403 	301 639 395 350 395 432	Tie Rod Spurstange	114 G 124 C 124 G 124 L 144 G	Length :1725 Pipe Ø :40 Cone U Ø :27,1 Cone L Ø :30 Weight :11,5 Kg. Weight :6,4 Kg.
10405 	1 369 411 1 409 918 1 385 251 1 379 178 1 501 030 157 403 1 723 895	Tie Rod Spurstange	114 G 94 C 114 L 94 G 124 C 94 L 124 G 94 D 124 L 144 C 144 G 144 L	Length :1725 Pipe Ø :50 Cone U Ø :27,1 Cone L Ø :30 Weight :14 Kg.

→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10413 	1 379 071 1 356 055	Drag Link Lenkstange	114 C 114 G 114 L 124 C 124 G 124 L 144 C 144 G 144 L	Length :1054 Pipe Ø :50 Cone U Ø :27,1 Cone L Ø :30 Weight :11,4 Kg.
10415 	382 774 1 369 917	Drag Link Lenkstange	113 E 113 H 143 E 143 H 93 H	Length :573 Pipe Ø :40 Cone U Ø :27,1 Cone L Ø :30 Weight :5 Kg.
10440 	416 159	Tie Rod Spurstange		Length :210 Pipe Ø :28 Cone U Ø :18,1 Cone L Ø :20,2 Weight :1,5 Kg.
10442 	2039 3061 1075 153 3988 695 3988 697	Drag Link Lenkstange	FH 12 FH 16	Length :850 Pipe Ø :52 Cone U Ø :24 Cone L Ø :29 Weight :8,7 Kg.
10443 	1075 663 3988 704 2039 3069	Drag Link Lenkstange	FH 12 FH 16 FM 12 FL 4	Length :870 Pipe Ø :52 Cone U Ø :23,9 Cone L Ø :28,6 Weight :8,9 Kg.
10456 	1075 005	Drag Link Lenkstange	FH 12 FH 16	Length :863 Pipe Ø :52 Cone U Ø :24 Cone L Ø :29 Weight :9 Kg.


→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS
10464 	1 379 071 1629 668 3986 433	Tie Rod Spurstange	114 C FH 12 FH 16 FL 4 FM 12	Length :1054 Length :325 Pipe Ø :30 Cone U Ø :19,9 Cone L Ø :22 Weight :2,1 Kg.
10482 	6799 189	Tie Rod Spurstange	FL 6	Length :890 Pipe Ø :40 Cone U Ø :27,1 Cone L Ø :30 Weight :6,9 Kg.
10512 	619 460 2505 619 460 2905 619 460 5205	Tie Rod Spurstange	MK 1420-1733 1820-1834 2420-2433 2524-2534 NG 1625 2219-2225	Length :860 Pipe Ø :42 Cone U Ø :27.1 Cone L Ø :30.2 Weight :8.2 Kg.
10522 	3090 728 3110 001 3988 968	Tie Rod End Kugelgelenk	FH 12 FH 16	Length :115 Thread :M30x1.5LHT Cone U Ø :23.9 Cone L Ø :28.6 Weight :1.4 Kg.
10586 	4207 9853 4100 2118 4204 1327	Ball Socket Kugelgelenk	E.CARGO E.STAR E.TECH E.TRAKKER	Length :55 Thread :M 10x1,5LHT Weight :0,1 Kg.


→ ANNOUNCEMENT FOR THE NEW PRODUCTS

We are happy to inform you

that the below shown products are

from now on **AVAILABLE IN OUR STOCKS**



AUGER NR.	VERGLEICH NR. CROSS REF. NR.	BENENNUNG DESCRIPTION	MODEL APPLICATION	DIMENSIONS	
15122 	37356 333 1304	Triangular Torque	O 404	Length	:507
	613 333 0004	Rod	O 405	ØR	:40
	613 333 0104	Dreieckslenker (Molekulargelenk)		ØB	:15
				Height	:115
				Weight	:23000
15148 	81 43220 6030	Torque Rod	F90-F2000	Length	:571
	81 43220 6014	Achsstrebe	16-17-19-22-24-26	ØR	:50
	81 43220 6096		27-28-30-31-32	ØB	:19
	81 43220 6097		27-28-30-31-32	Height	:130
	81 43220 6098		(Exx-Fxx-Txx-Uxx	Weight	:10800
	81 43220 6129		Year 85' →)		
	81 43220 9129				